

## Exercise 6

$ms(k) \rightarrow$  longest substring  $\alpha$  of  $S$  starting at position  $k$  that is a substring of  $T$ .

We can find  $ms(k)$  by using the suffix tree of  $T$ , traversing along  $S_{k,n}$  until we get stuck.

$\Rightarrow ms(k)$  is the number of verified characters.

$\rightsquigarrow O(n^2)$

The suffix links!

$ms(i) = j \Rightarrow S_{i,i+j-1}$  is a substring of  $T$

$\Rightarrow S_{i+1,i+j-1}$  is a substring of  $T$

$\Rightarrow$  There is a path along  $S_{i+1,i+j-1}$  in  $T$ .

$\rightsquigarrow$  For computing  $ms(i+1)$  we want to get to the end point of that path

- If traversal of  $S_{i,i+j-1}$  stopped at a node  $P$   
 $\Rightarrow$  follow suffix link of  $P \rightsquigarrow$  node of tbt has path labeling  $S_{i+1,i+j-1}$ .
- If traversal stops on edge, go back to last inner node  
follow suffix link, choose an outgoing edge and skip verified characters.

$\Rightarrow$  We get to the point where traversal along  $S_{1:n}$ , it just word halves.  
(in contrast tie)

Running time: Laffis Tree of  $T = O(n)$

Calculating  $m_1(1), \dots, m_1(n) : O(n)$

(We are each character of  $S$  only a constant tree)

### Problem 17

a) We wanted the LCSubseq of two strings  $S \in \Sigma^m$  and  $T \in \Sigma^n$ .

Choose .  $p(a,a) = 1$

.  $p(a,b) = p(b,a) = p(-,b) = 0, a \neq b$

. maximisation

The score in the lower right corner denotes the length of the LCSubseq.

Reconstruction: backtracking + recording the matched characters

Runtime: . Filling the DP-matrix =  $O(n \cdot m)$

Backtracking =  $O(n+m)$

b) We have strings  $R \in \Sigma^m$ ,  $S \in \Sigma^n$  and a text  $T \in \Sigma^k$ .

Aim: Decide whether any  $w \in R \sqcup S$  is a subsequence of  $T$ .

Define  $M_{i,j,k}$  which is set to 1 iff a prefix  $T_{1:k}$  contains

a word from  $R_{1:i} \sqcup S_{1:j}$  as a subsequence , 0 otherwise.

Initialisation:

- $M_{0,0,k} = 1$  for  $k \geq 0$
- $M_{i,j,0} = 0$  for  $i \neq 0 \vee j \neq 0$

Recurrence:

$$M_{i,j,k} = \begin{cases} M_{i-1,j,k-1} & \text{if } R_i = T_k \wedge S_j \neq T_k & (\text{Case A}) \\ M_{i,j-1,k-1} & \text{if } R_i \neq T_k \wedge S_j = T_k & (\text{Case B}) \\ M_{i,j,k-1} & \text{if } R_i \neq T_k \wedge S_j \neq T_k & (\text{Case C}) \\ M_{i-1,j,k-1} \vee M_{i,j-1,k-1} & \text{if } R_i = S_j = T_k & (\text{Case D}) \end{cases}$$

Case A:

If  $M_{i-1,j,k-1} = 0 \implies$  no  $w \in R_{1,i-1} \sqcup S_{1,j}$  is a subsequence of  $T_{1,k-1}$   
 $\implies$  no  $w \in R_{1,i} \sqcup S_{1,j}$  can be <sup>sub</sup>sequence of  $T_{1,k}$

Otherwise:  $w \in R_{1,i-1} \sqcup S_{1,j}$  is a subsequence of  $T_{1,k-1}$   
 $\rightarrow w \cdot R_i \in R_{1,i} \sqcup S_{1,j}$  is a subsequence of  $T_{1,k}$  by  
pairing up  $R_i$  and  $T_k$

Case B: symmetric, swap roles of  $R$  and  $S$

Case C: We can pair up neither  $S_j$  nor  $R_i$  with  $T_k$

Then  $w \in R_{1,i} \sqcup S_{1,j}$  can be a subsequence of  $T_{1,k}$   
iff  $w$  is a subsequence of  $T_{1,k-1}$ .

Case D: Apply Case A and Case B simultaneously.

Runtime:

- Filling the matrix in  $O(m \cdot n \cdot l)$
- Decision:  $O(1)$

## Problem 18

We have:  
•  $K_1, K_2$ , two cycles of a minimal cycle cover  $K$   
•  $w_1 \in K_1, w_2 \in K_2$ , elements (=nodes = strings) of these cycles

We want to show:  $ov(w_1, w_2) < cost(K_1) + cost(K_2)$

Assumption: SCSPI-input is substring-free

We know:  $ov(w_1, w_2) < \min\{|w_1|, |w_2|\}$  (\*)

Case 1:  $|w_1| < cost(K_1)$  and  $|w_2| < cost(K_2)$


$$ov(w_1, w_2) \stackrel{(*)}{<} \min\{|w_1|, |w_2|\} \leq |w_1| + |w_2| \leq cost(K_1) + cost(K_2)$$

Case 2: w.l.o.g.  $|w_1| \geq cost(K_1)$  (+)

Towards the contradiction, assume  $ov(w_1, w_2) \geq cost(K_1) + cost(K_2)$  (A)

By definition of distance graph, every word of a cycle is a subword of its cyclic string and can be characterised by start index, end index and number of full copies of  $c$ , the cyclic string.

From (+) follows that  $w_1$  must contain at least 1 full copy of  $c_1$ . Since  $(\Delta)$ ,  $\text{ov}(w_1, w_2) \geq \text{cost}(k_1)$  and thus at least 1 full copy of  $c_1$  is contained in the overlap.



Since  $(\Delta)$ ,  $\text{ov}(w_1, w_2) \geq \text{cost}(k_2)$  and thus by (\*),  $|w_2| > \text{cost}(k_2)$ .

$\Rightarrow$  At least 1 full of  $c_2$  is contained in  $w_2$ .

$c_1$  and  $c_2$  are primitive (due to the minimality of  $K$ ), i.e.

$c_i \neq r_i^k$  for  $k \geq 2$ ,  $r_i$  any substring,  $i \in \{1, 2\}$ .

Full copies of  $c_1$  and  $c_2$  are contained in the overlap.

$\Rightarrow c_1 = c_2$

But then we can construct a common cycle  $K$  containing strings from both  $K_1$  and  $K_2$  with costs  $|c_1| = |c_2| = \text{cost}(K_1) = \text{cost}(K_2)$ .

↓ minimality of cycle cover